

GRAIN PROTECTION 1.3L

AA



1
2
IGR130/2

STORAGE AND DISPOSAL:

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS:

RENTOKIL FENITROTHION 1000 INSECTICIDE

Product is poisonous if absorbed by skin contact, inhaled or swallowed. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin. DO NOT inhale spray mist. Obtain an emergency supply of atropine tablets 0.6 mg. When opening the container and preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow-length PVC gloves and face shield. When using in enclosed areas, wear goggles and half facepiece respirator with combined dust and gas cartridge. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield, goggles, respirator and if rubber wash with detergent and warm water, and contaminated clothing.

RENTOKIL IGR GRAIN PROTECTANT

Will irritate the eyes and skin. Repeated exposure may cause allergic disorders. Avoid contact with eyes and skin. DO NOT inhale vapour or spray mist. When preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow-length PVC gloves. Wash hands after use. After each day's use, wash gloves and contaminated clothing.

FIRST AID:


RENTOKIL FENITROTHION 1000 INSECTICIDE
If poisoning occurs, contact a Doctor or Poisons Information Centre. Phone 13 11 26. If swallowed, give one atropine tablet every 5 minutes until dryness of the mouth occurs - if poisoned by skin absorption or through lungs, remove any contaminated clothing, wash skin thoroughly and give atropine tablets as above. Get to a doctor or hospital quickly.

RENTOKIL IGR GRAIN PROTECTANT

If poisoning occurs, contact a Doctor or Poisons Information Centre. Phone 13 11 26. If swallowed DO NOT induce vomiting. Give a glass of water. **MSDS:** Additional information is listed in the Material Safety Data Sheets.

MANUFACTURERS WARRANTY AND EXCLUSION OF LIABILITY: This product as supplied is of high grade and believed to be suitable for any purpose for which it is expressly recommended and must be used in accordance with the Directions for Use given on the label. No responsibility is accepted in respect of the product save those non-excludable conditions implied by any Federal and State legislation or law of a Territory.

**ORGANOPHOSPHORUS
PESTICIDE,
LIQUID,
TOXIC,
FLAMMABLE.
UN3017**



Rentokil IGR Grain Protectant
APVMA No.: 53038/1/0804
Rentokil Fenitrothion 1000 Insecticide
APVMA No.: 46127/0700

(For Batch No. and DOM refer to the label of the individual components)

POISON
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING
FLAMMABLE



Rentokil IGR Grain Protectant
Active Constituent: 30 g/L S-METHOPRENE
Solvent: 720 g/L LIQUID HYDROCARBONS
APVMA Approval No. 53038/1/0804

1 x 1 Litre

Rentokil Fenitrothion 1000 Insecticide
Active Constituent: 1000 g/L FENITROTHION
(an anticholinesterase compound)
APVMA Approval No. 46127/0700

1 x 300mL

An admixture treatment for the control of insect pests of stored cereal grain including immature stages of organophosphate-resistant strains of Lesser Grain Borer, Rust-Red Flour Beetle and Sawtoothed Grain Beetle.

RENTOKIL INITIAL PTY LTD ABN 98 000 034 597
150 Mowbray Road Willoughby NSW 2068 Australia
Telephone: (02) 9370 9300
A Rentokil Initial company

CONTENTS 1.3 Litres
CONTENTS SUFFICIENT TO TREAT 50 TONNES OF GRAIN
READ DETAILS OF EACH PRODUCT IN THIS PACK BEFORE USING



**Rentokil IGR Grain Protectant +
Rentokil Fenitrothion 1000 Insecticide
FOR GRAIN PROTECTION FOR PERIODS OF 6 TO 9 MONTHS
1 PACK TREATS 50 TONNE**

DIRECTIONS FOR USE:
IN WA FOR USE BY BULK HANDLING AUTHORITIES ONLY.

Restrictions:
DO NOT move treated grain within 24 hours after treatment.

SITUATION/ CROP	PEST	RATE	CRITICAL COMMENTS
Stored Cereal Grain	Stored grain insect pests including grain weevils (excluding Sitophilus spp.), lesser grain borer, rust-red flour beetle and sawtoothed grain beetle including those resistant to organophosphates	For 6 to 9 months protection mix contents of GRAIN PROTECTION PACK with 50 L of water. (1 L Rentokil IGR Grain Protectant plus 300 mL Rentokil Fenitrothion 1000 Insecticide in 50 L of water.)	Apply at rate of 1 L diluted spray per tonne of grain. 1 pack treats 50 tonne grain.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.
WITHHOLDING PERIOD: HOLD GRAIN IN STORE AND DO NOT USE FOR PROCESSING INTO FOOD FOR HUMAN CONSUMPTION OR STOCK FOOD WITHIN 1 DAY OF TREATMENT.